

# Pain Intensity Change Measures: Injection

Dr Mark Laslett PhD, NZRPS

Name

Procedure Epidural Injection (TESI)

Date

**Pre-Procedure measurement. Time:**

**Index test:**

Back Pain Intensity

No pain

---

Worst pain  
Imaginable

Buttock Pain Intensity

No pain

---

Worst pain  
Imaginable

Lower Limb Pain Intensity

No pain

---

Worst pain  
Imaginable

**Procedure time:**

**Post-Procedure measurement. Time:**

Back Pain Intensity

No pain

---

Worst pain  
Imaginable

Buttock Pain Intensity

No pain

---

Worst pain  
Imaginable

Lower Limb Pain Intensity

No pain

---

Worst pain  
Imaginable

# Pain Intensity Change Measures: Injection

Dr Mark Laslett PhD, NZRPS

## 2 hours post procedure. Time:

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

## 4 hours post procedure. Time:

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

## 6 hours post procedure. Time:

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

# Pain Intensity Change Measures: Injection

Dr Mark Laslett PhD, NZRPS

## 1 week procedure: Date

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

## 4 weeks post procedure: Date

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

## 8 weeks post procedure: Date

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable