

Pain Intensity Change Measures: Surgery

Dr Mark Laslett PhD, NZRPS

Name

Procedure

Date

Pre-Surgery Date

(day of surgery)

Back Pain Intensity

No pain

Worst pain
Imaginable

Buttock Pain Intensity

No pain

Worst pain
Imaginable

Lower Limb Pain Intensity

No pain

Worst pain
Imaginable

Surgery Date:

2 days Post-Surgery

Back Pain Intensity

No pain

Worst pain
Imaginable

Buttock Pain Intensity

No pain

Worst pain
Imaginable

Lower Limb Pain Intensity

No pain

Worst pain
Imaginable

Pain Intensity Change Measures: Surgery

Dr Mark Laslett PhD, NZRPS

2 weeks post Surgery: Date

Back Pain Intensity

No pain



Worst pain
Imaginable

Buttock Pain Intensity

No pain



Worst pain
Imaginable

Lower Limb Pain Intensity

No pain



Worst pain
Imaginable

4 weeks post Surgery: Date

Back Pain Intensity

No pain



Worst pain
Imaginable

Buttock Pain Intensity

No pain



Worst pain
Imaginable

Lower Limb Pain Intensity

No pain



Worst pain
Imaginable

6 weeks post Surgery: Date

Back Pain Intensity

No pain



Worst pain
Imaginable

Buttock Pain Intensity

No pain



Worst pain
Imaginable

Lower Limb Pain Intensity

No pain



Worst pain
Imaginable

Pain Intensity Change Measures: Surgery

Dr Mark Laslett PhD, NZRPS

3 Months post Surgery: Date

Back Pain Intensity

No pain



Worst pain
Imaginable

Buttock Pain Intensity

No pain



Worst pain
Imaginable

Lower Limb Pain Intensity

No pain



Worst pain
Imaginable

6 Months post Surgery: Date

Back Pain Intensity

No pain



Worst pain
Imaginable

Buttock Pain Intensity

No pain



Worst pain
Imaginable

Lower Limb Pain Intensity

No pain



Worst pain
Imaginable

12 Months post Surgery: Date

Back Pain Intensity

No pain



Worst pain
Imaginable

Buttock Pain Intensity

No pain



Worst pain
Imaginable

Lower Limb Pain Intensity

No pain



Worst pain
Imaginable