

Pain Intensity Change Measures: Injection

Dr Mark Laslett PhD, NZRPS

Name

Procedure Epidural Injection (TESI)

Date

Pre-Procedure measurement. Time:

Morning before the injection

Back Pain Intensity

No pain

Worst pain

Imaginable

Buttock Pain Intensity

No pain

Worst pain

Imaginable

Lower Limb Pain Intensity

No pain

Worst pain

Imaginable

Procedure time:

Post-Procedure measurement 1 hour later.

Back Pain Intensity

No pain

Worst pain

Imaginable

Buttock Pain Intensity

No pain

Worst pain

Imaginable

Lower Limb Pain Intensity

No pain

Worst pain

Imaginable

Pain Intensity Change Measures: Injection

Dr Mark Laslett PhD, NZRPS

2 hours post procedure. Time:

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

4 hours post procedure. Time:

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

6 hours post procedure. Time:

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

Pain Intensity Change Measures: Injection

Dr Mark Laslett PhD, NZRPS

1 week procedure: Date

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

4 weeks post procedure: Date

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable

8 weeks post procedure: Date

Back Pain Intensity	No pain	_____	Worst pain Imaginable
Buttock Pain Intensity	No pain	_____	Worst pain Imaginable
Lower Limb Pain Intensity	No pain	_____	Worst pain Imaginable